

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	((600/407-480).ccls. or (601/2-4).ccls.) and ultraso\$ and (mono adj frequenc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/01 07:59
S1	5	ultraso\$ and (mono adj frequenc\$3) and (tissue\$1 with temperature) and pressure and amplitude and (signal\$1 with superimpos\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/30 22:26
S2	1	ultraso\$ and (mono adj frequenc\$3) and (tissue\$1 with temperature) and pressure and amplitude and (signal\$1 with superimpos\$3) and reflector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/30 22:27
S3	1	ultraso\$ and (mono adj frequenc\$3) and (tissue\$1 with temperature) and pressure and amplitude and (signal\$1 with superimpos\$3) and lens	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/30 22:27
S4	5	ultraso\$ and (mono adj frequenc\$3) and (tissue\$1 with temperature) and pressure and amplitude and (signal\$1 with superimpos\$3) and piezoelectric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/30 22:32
S5	5	ultraso\$ and (mono adj frequenc\$3) and (tissue\$1 with temperature) and pressure and amplitude and (signal\$1 with superimpos\$3) and piezoelectric and imag\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/30 22:44
S6	5	ultraso\$ and (mono adj frequenc\$3) and (tissue\$1 with temperature) and pressure and amplitude and (signal\$1 with superimpos\$3) and piezoelectric and imag\$3 and simultaneous\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/01 07:55
S7	1	(601/2-4).ccls. and ultraso\$ and (mono adj frequenc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/01 07:58